Journal of Intellectual Disability Research

VOLUME 43 PART 6 pp 573–578 DECEMBER 1999

Author index

Abbeduto L., Weissman M.D. & Short-Meyerson K. *Parental scaffolding of the discourse of children and adolescents with intellectual disability: the case of, referential expressions*, 540
Ahlgrim-Delzell L. *see* Dudley J.R., 70
Alborz A. *see* Hatton C., 206
Alborz A. *see* Hatton C., 253
Alevriadou A. *see* Grouios G., 306
Allen D. *Review: Mediator analysis: an overview of recent research on carers supporting people with intellectual disability and challenging behaviour*, 325
Allen D. *see* Jones E., 164
Andrews T.M., Everitt A.D. & Sander J.W.A.S. *A descriptive survey of long-term residents with epilepsy and intellectual disability at the Chalfront Centre: is there a relationship between maladaptive behaviour and magnetic resonance imaging findings?*, 475
Annerén G. *see* Frid C., 234
Antenore C. *see* Volterra V., 294

Bamburg J.W. *see* Matson J.L., 531
Barnicoat A. *see* Carmichael B., 47
Biesaart M.C.I.H. & Hubben J.H. *Review: Incompetence in practice in health care in the Netherlands: report of a study*, 454
Bosma G.P.Th., van Buchem M.A., Voormolen J.H.C. van Biezen F.C. & Brouwer O.F. *Cervical spondylarthrotic myelopathy with early onset in Down's syndrome: five cases and a review of the literature*, 283
Bouras N. *Editorial*, 69
Braganza J. *see* Deb S., 400
Brouwer O.F. *see* Bosma G.P.Th., 283
Brown M.C.J. & Guest J.F. *Economic impact of feeding a phenylalanine-restricted diet to adults with previously untreated phenylketonuria*, 30
Brylewski J. & Duggan L. *Review: Antipsychotic medication for challenging behaviour in people with intellectual disability: a systematic review of randomized controlled trials*, 360
Brylewski J. & Wiggs L. *Sleep problems and daytime challenging behaviour in a community-based sample of adults with intellectual disability*, 504
Brylewski J. *see* Duggan L., 94
Byrne K. *see* Hess-Röver J., 428

Cain N.N. *see* Davidson P.W., 38
Calhoun M.L. *see* Dudley J.R., 70
Calhoun M.L. *see* Dudley J.R., 289
Callias M. *see* Garner C., 466
Carmichael B., Pembrey M., Turner G. & Barnicoat A. *Diagnosis of fragile-X syndrome: the experience of parents*, 47
Christian L., Snycerski S.M., Singh N.N. & Poling A. *Direct service staff and their perceptions of psychotropic medication in non-institutional settings for people with intellectual disability*, 88
Clarke D.J. & Gomez G.A. *Utility of modified DCR-10 criteria in the diagnosis of depression associated with intellectual disability*, 413
Clarke J.J. & Wilson D.N. *Case report: Alcohol problems and intellectual disability*, 135
Conroy J.W. *see* Dudley J.R., 289
Cooper S.-A. *The relationship between psychiatric and physical health in elderly people with intellectual disabilities*, 54
Cosgrave M.P., Tyrrell J., McCarron M., Gill M. & Lawlor B.A. *Determinants of aggression, and adaptive and maladaptive behaviour in older people with Down's syndrome with and without dementia*, 393
Cosgrave M.P., Tyrrell J., McCarron M., Gill M. & Lawlor B.A. *Age at onset of dementia and age of menopause in women with Down's syndrome*, 461
Cotton S. *see* Richdale A.L., 380
Crichton J. *see* Hess-Röver J., 428
Cullen C. *Guest editorial: Contextualism in intellectual disability research: the case of choice behaviour*, 437
Cummins R.A. *see* Verri A., 513
Cunha B. *see* Lancioni G.E., 61
Cutajar P. & Wilson D. *The use of ECT in intellectual disability*, 421

Dacey C.M., Nelson III W.M. & Stoeckel J. *Reliability, criterion-related validity and qualitative comments of the Fourth Edition of the Stanford–Binet Intelligence Scale with a young adult population with intellectual disability*, 179
Dagnan D. & Sandhu S. *Social comparison, self-esteem and depression in people with intellectual disability*, 372
Davidson P.W., Houser K.D., Cain N.N., Sloane-Reeves J., Quijano L., Matons L., Giesow V. & Ladrigan P.M. *Characteristics of older adults with intellectual disabilities referred for crisis intervention*, 38
Deb S. & Braganza J. *Comparison of rating scales for the diagnosis of dementia in adults with Down's syndrome*, 400
Drott P. *see* Frid C., 234
Dudley J.R., Ahlgrim-Delzell L. & Calhoun M.L. *Diverse diagnostic and behavioural patterns amongst people with a dual diagnosis*, 70
Dudley J.R., Conroy J.W. & Calhoun M.L. *The Thomas S. case: report on progress with court compliance issues*, 289
Duggan L. & Brylewski J. *Effectiveness of antipsychotic medication in people with intellectual disability and schizophrenia: a systematic review*, 94
Duggan L. *see* Brylewski J., 360
Dunn P. *see* Llewellyn G., 219
Dunstan F. *see* Jones E., 164

Einfeld S.L. & Tonge B.J. *Observations on the use of the ICD-10 Guide for Mental Retardation*, 408
Elardo S. *see* Ghaziuddin M., 279
Emerson E. *see* Hatton C., 206
Emerson E. *see* Hatton C., 253
Everitt A.D. *see* Andrews T.M., 475

Facon B. & Facon-Bollengier T. *Chronological age and crystallized intelligence of people with intellectual disability*, 489
Facon-Bollengier T. *see* Facon B., 489
Fante M. *see* Llewellyn G., 219
Favilla L. *see* Masi G., 80
Fea F. *see* Lanners J., 1
Felce D. *see* Jones E., 164
Fossaceca C. *see* Ruedrich S., 105
Frid C., Drott P., Lundell B., Rasmussen F. & Annerén G. *Mortality in Down's syndrome in relation to congenital malformations*, 234
Furniss F. *see* Lancioni G.E., 61

Garner C., Callias M. & Turk J. *Executive function and theory of mind performance of boys with fragile-X syndrome*, 466

© 1998 Blackwell Science Ltd

Author Index

Gerosa E. *see* Verri A., 513
Ghaziuddin M., Zaccagnini J., Tsai L. & Elardo S. *Is megalencephaly specific to autism?*, 279
Giesow V. *see* Davidson P.W., 38
Gill M. *see* Cosgrave M.P., 393
Gill M. *see* Cosgrave M.P., 461
Goergen E. *see* Lanners J., 1
Gomez G.A. *see* Clarke D.J., 413
Grace R. *see* Llewellyn G., 219
Grouios G., Sakadami N., Poderi A. & Alevriadou A. *Excess of non-right handedness among individuals with intellectual disability: experimental evidence and possible explanations*, 306
Guest J.F. *see* Brown M.C.J., 30

Hall S. *see* Murphy G., 149
Hara K. *see* Nakamura M., 562
Hatton C., Emerson E., Rivers M., Mason H., Mason L., Swarbrick R., Kiernan C., Reeves D. & Alborz A. *Factors associated with staff stress and work satisfaction in services for people with intellectual disability*, 253
Hatton C., Rivers M., Mason H., Mason L., Emerson E., Kiernan C., Reeves D. & Alborz A. *Organizational culture and staff outcomes in services for people with intellectual disabilities*, 206
Hayakawa C. *see* Nakamura M., 562
Henry J. *see* Xenitidis K.I., 128
Hepper F. *Case report: 'A woman's heaven is at her husband's feet'? The dilemmas for a community learning disability team posed by the arranged marriage of a Bangladeshi client with intellectual disability*, 558
Hess-Röver J., Crichton J., Byrne K. & Holland A.J. *Case report: Diagnosis and treatment of a severe psychotic illness in a man with dual severe sensory impairments caused by the presence of Usher syndrome*, 428
Hibbit K. *see* Richdale A.L., 380
Holland A.J. *see* Hess-Röver J., 428
Houser K.D. *see* Davidson P.W., 38
Hubben J.H. *see* Biesaart M.C.I.H., 454
Huntley E. & Smith L. *Long-term follow-up of behavioural treatment for primary encopresis in people with intellectual disability in the community*, 484

Jones E., Perry J., Lowe K., Felce D., Toogood S., Dunstan F., Allen D. & Pagler J. *Opportunity and the promotion of activity among adults with severe intellectual disability living in community residences: the impact of training staff in active support*, 164

Kaski M. *see* Wilska M., 242
Khan I. *see* Matson J.L., 531
Kiernan C. *see* Hatton C., 206
Kiernan C. *see* Hatton C., 253
Kissi-Debra R. *see* Murphy G., 149
Kokubun M. *The relationship between the effect of setting a goal on standing broad jump performance and behaviour regulation ability in children with intellectual disability*, 13
Kumagai T. *see* Nakamura M., 562

Ladrigan P.M. *see* Davidson P.W., 38
Lancioni G.E., Van den Hof E., Furniss F., O'Reilly M.F. & Cunha B. *Evaluation of a computer-aided system providing pictorial task instructions and prompts to people with severe intellectual disability*, 61
Lanners J, Piccioni A., Fea F. & Goergen E. *Early intervention for children with cerebral visual impairment: preliminary results*, 1
Lawlor B.A. *see* Cosgrave M.P., 393
Lawlor B.A. *see* Cosgrave M.P., 461
Linaker O.M. *see* Nøttestad J.Aa., 523
Llewellyn G., Dunn P., Fante M., Turnbull L. & Grace R. *Family factors influencing out-of-home placement decisions*, 219
Longobardi E. *see* Volterra V., 294
Lowe K. *see* Jones E., 164
Lundell B. *see* Frid C., 234

Martin N. *see* Stevens P., 19
Masi G., Mucci M., Favilla L. & Poli P. *Dysthymic disorder in adolescents with intellectual disability*, 80
Mason H. *see* Hatton C., 206
Mason H. *see* Hatton C., 253
Mason L. *see* Hatton C., 206
Mason L. *see* Hatton C., 253
Matons L. *see* Davidson P.W., 38
Matson J.L., Bamburg J.W., Mayville E.A. & Khan I. *Seizure disorders in people with intellectual disability: an analysis of differences in social functioning, adaptive functioning and maladaptive behaviours*, 531
Matsumoto A. *see* Nakamura M., 562
Mayville E.A. *see* Matson J.L., 531
McCarron M. *see* Cosgrave M.P., 393
McCarron M. *see* Cosgrave M.P., 461
McConkey R., Morris I. & Purcell M. *Communications between staff and adults with intellectual disabilities in naturally occurring settings*, 194
Meheus A. *see* Vellinga A., 445
Miura K. *see* Nakamura M., 562
Miyazaki S. *see* Nakamura M., 562
Monteath S. *see* Verri A., 513
Morris I. *see* McConkey R., 194
Mucci M. *see* Masi G., 80
Murphy D.G.M. *see* Xenitidis K.I., 128
Murphy G., Hall S., Oliver C. & Kissi-Debra R. *Identification of early self-injurious behaviour in young children with intellectual disability*, 149

Nakamura M., Hara K., Watamaki T., Nishimura B., Kumagai T., Matsumoto A., Miura K., Yamanaka T., Hayakawa C. & Miyazaki S. *Case report: Difficulty in writing Japanese semantic characters in a 9-year-old boy with Williams syndrome*, 562
Nappi G. *see* Verri A., 513
Nelson III W.M. *see* Dacey C.M., 179
Nishimura B. *see* Nakamura M., 562
Nøttestad J.Aa. & Linaker O.M. *Psychiatric health needs and services before and after complete deinstitutionalization of people with intellectual disability*, 523

O'Reilly M.F. *see* Lancioni G.E., 61
Oliver C. *see* Murphy G., 149

Pagler J. *see* Jones E., 164
Parmenter T.R. *Guest editorial: from the president of the IASSID*, 145
Pembrey M. *see* Carmichael B., 47
Perry J. *see* Jones E., 164
Petito F. *see* Verri A., 513
Pezzini G. *see* Volterra V., 294
Piccioni A. *see* Lanners J., 1
Poderi A. *see* Grouios G., 306
Poli P. *see* Masi G., 80
Poling A. *see* Christian L., 88
Purcell M. *see* McConkey R., 194

Quijano L. *see* Davidson P.W., 38

Raitasuo S., Taiminen T. & Salokangas R.K.R. *Characteristics of people with intellectual disability admitted for psychiatric inpatient treatment*, 112

Raitasuo S., Taiminen T. & Salokangas R.K.R. *Inpatient care and its outcome in a specialist psychiatric unit for people with intellectual disability: a prospective study*, 119
Rasmussen F. *see* Frid C., 234
Reeves D. *see* Hatton C., 206
Reeves D. *see* Hatton C., 253
Richdale A.L., Cotton S. & Hibbit K. *Sleep and behaviour disturbance in Prader–Willi syndrome: a questionnaire study*, 380
Rivers M. *see* Hatton C., 206
Rivers M. *see* Hatton C., 253
Rogers L. *see* Webb O.J., 497
Rose J. *Stress and residential staff who work with people who have an intellectual disability: a factor analytic study*, 268
Ruedrich S., Swales T.P., Fossaceca C., Toliver J. & Rutkowski A. *Effect of divalproex sodium on aggression and self-injurious behaviour in adults with intellectual disability: a retrospective review*, 105
Russell A.J. *see* Xenitidis K.I., 128
Rutkowski A. *see* Ruedrich S., 105

Sakadami N. *see* Grouios G., 306
Salokangas R.K.R. *see* Raitasuo S., 112
Salokangas R.K.R. *see* Raitasuo S., 119
Sander J.W.A.S. *see* Andrews T.M., 475
Sandhu S. *see* Dagnan D., 372
Sedgwick P. *see* York A., 314
Short-Meyerson K. *see* Abbeduto L., 540
Singh N.N. *see* Christian L., 88
Sloane-Reeves J. *see* Davidson P.W., 38
Smith L. *see* Huntley E., 484
Snycerski S.M. *see* Christian L., 88
Stancliffe R.J. *Proxy respondents and the reliability of the Quality of Life Questionnaire Empowerment factor*, 185
Stevens P. & Martin N. *Supporting individuals with intellectual disability and challenging behaviour in integrated work settings: an overview and a model for service provision*, 19
Stoeckel J. *see* Dacey C.M., 179
Swales T.P. *see* Ruedrich S., 105
Swarbrick R. *see* Hatton C., 253

Taiminen T. *see* Raitasuo S., 112
Taiminen T. *see* Raitasuo S., 119
Toliver J. *see* Ruedrich S., 105
Tonge B.J. *see* Einfeld S.L., 408
Toogood S. *see* Jones E., 164
Tsai L. *see* Ghaziuddin M., 279
Turk J. *see* Garner C., 466
Turk J. *see* York A., 314
Turnbull L. *see* Llewellyn G., 219
Turner G. *see* Carmichael B., 47
Tyrer S.P. *see* Vanstraelen M., 349
Tyrrell J. *see* Cosgrave M.P., 393
Tyrrell J. *see* Cosgrave M.P., 461

Vallero E. *see* Verri A., 513
van Biezen F.C. *see* Bosma G.P.Th., 283
van Buchem M.A. *see* Bosma G.P.Th., 283
Van Damme P. *see* Vellinga A., 445
Van den Hof E. *see* Lancioni G.E., 61
Vanstraelen M. & Tyrer S.P. *Review: Rapid cycling bipolar affective disorder in people with intellectual disability: a systematic review*, 349
Vellinga A., Van Damme P. & Meheus A. *Review: Hepatitis B and C in institutions for individuals with intellectual disability*, 445
Verri A., Cummins R.A., Petito F., Vallero E., Monteath S., Gerosa E. & Nappi G. *An Italian–Australian comparison of quality of life among people with intellectual disability living in the community*, 513
Vicari S. *see* Volterra V., 294
Volterra V., Longobardi E., Pezzini G., Vicari S. & Antenore C. *Visuo-spatial and linguistic abilities in a twin with Williams syndrome*, 294
von Fraunhofer N. *see* York A., 314
Voormolen J.H.C. *see* Bosma G.P.Th., 283

Ward A. *see* Xenitidis K.I., 128
Watamaki T. *see* Nakamura M., 562
Webb O.J. & Rogers L. *Health screening for people with intellectual disability: the New Zealand experience*, 497
Weissman M.D. *see* Abbeduto L., 540
Wiggs L. *see* Brylewski J., 504
Wilska M. & Kaski M. *Aetiology of intellectual disability – the Finnish classification: development of a method to incorporate WHO ICD-10 coding*, 242
Wilson D. *see* Cutajar P., 421
Wilson D.N. *see* Clarke J.J., 135

Xenitidis K.I., Henry J., Russell A.J., Ward A. & Murphy D.G.M. *An inpatient treatment model for adults with mild intellectual disability and challenging behaviour*, 128

Yamanaka T. *see* Nakamura M., 562
York A., von Fraunhofer N., Turk J. & Sedgwick P. *Fragile-X syndrome, Down's syndrome and autism: awareness and knowledge amongst special educators*, 314

Zaccagnini J. *see* Ghaziuddin M., 279

Subject index

Adaptive behaviour, aggression, dementia, Down's syndrome, maladaptive behaviour, 393
Adaptive functioning, maladaptive behaviours, seizure disorders, social functioning, 531
Adolescence, comorbidity, dysthymic disorder, symptoms, 80
Adults, communication, staff behaviour, 194
Advocacy, aggression, independence, lawsuit, mental illness, safety, 289
Aetiology, assessment, causes, classification, 242
Ageing, behaviour disorders, crisis intervention, 38
Aggression, anticonvulsants, impulse control disorders, self-injurious behaviour, valproate, 105
dementia, Down's syndrome, maladaptive behaviour, adaptive behaviour, 393
independence, lawsuit, mental illness, safety, advocacy, 289
Alcohol problems, dual diagnosis, problem drinking, substance misuse, 135
Alzheimer's disease, correlation, dementia, Down's syndrome, menopause, 461
Anticonvulsants, impulse control disorders, self-injurious behaviour, valproate, aggression, 105

Subject Index

Antipsychotic agents, challenging behaviour, randomized controlled trials, 360
Antipsychotic medication, randomized controlled trial, schizophrenia, systematic review, 94
Assessment, causes, classification, aetiology, 242
Autism, executive functions, fragile-X syndrome, theory of mind, 466
hyperactivity, impulsivity, megalencephaly, 279
Awareness, childhood autism, Down's syndrome, fragile-X syndrome, special education, 314

Bangledeshi, cross-cultural psychiatry, marriage, 558
Behaviour disorders, crisis intervention, ageing, 38
Behaviour disturbance, Prader-Willi syndrome, questionnaire study, sleep disturbance, 380
Behaviour problems, diversity, duel diagnosis, mental illness, 70
Behavioural treatment, encopresis, follow-up, intellectual disability, 484

Carers, challenging behaviour, mediator analysis, 325
Causes, classification, aetiology, assessment, 242
Cerebral abnormality, cerebral lateralization, handedness, motor skill, 306
Cerebral lateralization, handedness, motor skill, cerebral abnormality, 306
Cerebral visual impairment, early intervention, visual stimulation, 1
Cervical vertebrae, Down's syndrome, spinal canal, spinal cord compression, 283
Challenging behaviour, inpatient treatment model, service evaluation, 128
mediator analysis, carers, 325
randomized controlled trials, antipsychotic agents, 360
service provision, supported employment, 19
sleep, survey, 504
Characteristics, inpatients, psychiatric, 112
Childhood autism, Down's syndrome, fragile-X syndrome, special education, awareness, 314
Children, early development, early intervention, self-injurious behaviour, 149
Choice, empowerment, quality of life, proxy respondents, self-determination, self- report data, 185
Chronological age, crystallized intelligence, factorial theory of intelligence, fluid Intelligence, life experience, 489
Classification, aetiology, assessment, causes, 242
ICD-10 Guide for Mental Retardation, multi-axial diagnosis, 408
Communication, staff behaviour, adults, 194
Community-based living, direct service staff, psychotropic medication, 88
Comorbidity, dysthymic disorder, symptoms, adolescence, 80
Competence, health care, incompetence, Netherlands, practice, 454
Comprehensive Quality of Life Scale, Italian-Australian comparison, quality of life, 513
Computer-aided system, pictorial task instructions, prompts, 61
Congenital heart defect, congenital malformations, Down's syndrome, mortality, 234
Congenital malformations, Down's syndrome, mortality, congenital heart defect, 234
Correlation, dementia, Down's syndrome, menopause, Alzheimer's disease, 461
Costs, phenylalanine-restricted diet, phenylketonuria, resource use, 30
Crisis intervention, ageing, behaviour disorders, 38
Criterion-related validity, reliability, Stanford-Binet-IV, 179
Cross-cultural psychiatry, marriage, Bangledeshi, 558
Crystallized intelligence, factorial theory of intelligence, fluid intelligence, life experience, chronological age, 489

Deinstitutionalization, health needs, mental health, psychiatric services, 523
Dementia Questionnaire for Persons with Mental Retardation, Dementia Scale for Down's Syndrome, Mini Mental State Examination, rating scales, dementia, 400
Dementia Scale for Down's Syndrome, Mini Mental State Examination, rating scales, dementia, Dementia Questionnaire for Persons with Mental Retardation, 400
Dementia, Dementia Questionnaire for Persons with Mental Retardation, Dementia Scale for Down's Syndrome, Mini Mental State Examination, rating scales, 400
Down's syndrome, maladaptive behaviour, adaptive behaviour, aggression, 393
Down's syndrome, menopause, Alzheimer's disease, correlation, 461
physical health, old age, psychiatric disorders, 54
Depression, diagnostic criteria, psychiatry, 413
electroconvulsive therapy, Trent Region, 421
self-esteem, social comparison, 372
Diagnosis, parents, fragile-X syndrome, 47
Diagnostic criteria, psychiatry, depression, 413
Direct service staff, psychotropic medication, community-based living, 88
Discourse, parental scaffolding, pragmatics, 540
Diversity, duel diagnosis, mental illness, behaviour problems, 70
Down's syndrome, fragile-X syndrome, special education, awareness, childhood autism, 314
hepatitis B, hepatitis C, institutions, 445
maladaptive behaviour, adaptive behaviour, aggression, dementia, 393
menopause, Alzheimer's disease, correlation, dementia, 461
mortality, congenital heart defect, congenital malformations, 234
spinal canal, spinal cord compression, cervical vertebrae, 283
standing broad jump, verbal behaviour regulation, 13
Dual diagnosis, problem drinking, substance misuse, alcohol problems, 135
mental illness, behaviour problems, diversity, 70
Dysthymic disorder, symptoms, adolescence, comorbidity, 80

Early development, early intervention, self-injurious behaviour, children, 149
Early intervention, self-injurious behaviour, children, early development, 149
visual stimulation, cerebral visual impairment, 1
Electroconvulsive therapy, Trent Region, depression, 421
Empowerment, quality of life, proxy respondents, self-determination, self-report data, choice, 185
Encopresis, follow-up, intellectual disability, behavioural treatment, 484
Engagement in activity, severe intellectual disability, staff training, 164
Epilepsy, maladaptive behaviour, magnetic resonance imaging, malformations of cortical dysgenesis, 475
Executive functions, fragile-X syndrome, theory of mind, autism, 466

Factor analytic study, intellectual disability, residential staff, stress, 268

Subject Index

Factorial theory of intelligence, fluid intelligence, life experience, chronological age, crystallized intelligence, 489
Family factors, multiple disability, out-of-home placement, 219
Fluid intelligence, life experience, chronological age, crystallized intelligence, factorial theory of intelligence, 489
Follow-up, intellectual disability, behavioural treatment, encopresis, 484
Fragile-X syndrome, diagnosis, parents, 47
special education, awareness, childhood autism, Down's syndrome, 314
theory of mind, autism, executive functions, 466

Handedness, motor skill, cerebral abnormality, cerebral lateralization, 306
Health care, incompetence, Netherlands, practice, competence, 454
Health check, health screen, primary health, service development, 497
Health needs, mental health, psychiatric services, deinstitutionalization, 523
Health screen, primary health, service development, health check, 497
Hepatitis B, hepatitis C, institutions, Down's syndrome, 445
Hepatitis C, institutions, Down's syndrome, hepatitis B, 445
Hyperactivity, impulsivity, megalencephaly, autism, 279

ICD-10 Guide for Mental Retardation, multi-axial diagnosis, classification, 408
Impulse control disorders, self-injurious behaviour, valproate, aggression, anticonvulsants, 105
Impulsivity, megalencephaly, autism, hyperactivity, 279
Incompetence, Netherlands, practice, competence, health care, 454
Independence, lawsuit, mental illness, safety, advocacy, aggression, 289
Inpatient care, psychiatric, specialist unit, 119
Inpatient treatment model, service evaluation, challenging behaviour, 128
Inpatients, psychiatric, characteristics, 112
Institutions, Down's syndrome, hepatitis B, hepatitis C, 445
Intellectual disability, behavioural treatment, encopresis, follow-up, 484
residential staff, stress, factor analytic study, 268
Italian-Australian comparison, quality of life, Comprehensive Quality of Life Scale, 513

Japanese semantic characters, Kaufmann Assessment Batteries for Children, Kanji, visuospatial cognition, Williams syndrome, 562

Kanji, visuospatial cognition, Williams syndrome, Japanese semantic characters, Kaufmann Assessment Batteries for Children, 562
Kaufmann Assessment Batteries for Children, Kanji, visuospatial cognition, Williams syndrome, Japanese semantic characters, 562

Language, twins, visuo-spatial ability, Williams syndrome, 294
Lawsuit, mental illness, safety, advocacy, aggression, independence, 289
Life experience, chronological age, crystallized intelligence, factorial theory of intelligence, fluid intelligence, 489

Magnetic resonance imaging, malformations of cortical dysgenesis, epilepsy, maladaptive behaviour, 475
Maladaptive behaviour, adaptive behaviour, aggression, dementia, Down's syndrome, 393
magnetic resonance imaging, malformations of cortical dysgenesis, epilepsy, 475
seizure disorders, social functioning, adaptive functioning, 531
Malformations of cortical dysgenesis, epilepsy, maladaptive behaviour, magnetic resonance imaging, 475
Marriage, Bangledeshi, cross-cultural psychiatry, 558
Mediator analysis, carers, challenging behaviour, 325
Megalencephaly, autism, hyperactivity, impulsivity, 279
Menopause, Alzheimer's disease, correlation, dementia, Down's syndrome, 461
Mental health, psychiatric services, deinstitutionalization, health needs, 523
Mental illness, advocacy, aggression, independence, lawsuit, safety, 289
behaviour problems, diversity, duel diagnosis, 70
Mini Mental State Examination, rating scales, dementia, Dementia Questionnaire for Persons with Mental Retardation, Dementia Scale for Down's Syndrome, 400
Mortality, congenital heart defect, congenital malformations, Down's syndrome, 234
Motor skill, cerebral abnormality, cerebral lateralization, handedness, 306
Multi-axial diagnosis, classification, *ICD-10 Guide for Mental Retardation*, 408
Multiple disability, out-of-home placement, family factors, 219

Netherlands, practice, competence, health care, incompetence, 454

Old age, psychiatric disorders, dementia, physical health, 54
Onset, prophylaxis, rapid cycling bipolar affective disorder, treatment, 349
Organizational culture, staff outcomes, 206
Out-of-home placement, family factors, multiple disability, 219

Parental scaffolding, pragmatics, discourse, 540
Parents, fragile-X syndrome, diagnosis, 47
Phenylalanine-restricted diet, phenylketonuria, resource use, costs, 30
Phenylketonuria, resource use, costs, phenylalanine-restricted diet, 30
Physical health, old age, psychiatric disorders, dementia, 54
Pictorial task instructions, prompts, computer-aided system, 61
Practice, competence, health care, incompetence, Netherlands, 454
Prader-Willi syndrome, questionnaire study, sleep disturbance, behaviour disturbance, 380
Pragmatics, discourse, parental scaffolding, 540
Primary health, service development, health check, health screen, 497
Problem drinking, substance misuse, alcohol problems, dual diagnosis, 135
Prompts, computer-aided system, pictorial task instructions, 61
Prophylaxis, rapid cycling bipolar affective disorder, treatment, onset, 349
Proxy respondents, self-determination, self-report data, choice, empowerment, quality of life, 185
Psychiatric disorders, dementia, physical health, old age, 54
Psychiatric services, deinstitutionalization, health needs, mental health, 523

Subject Index

Psychiatric, characteristics, inpatients, 112
specialist unit, inpatient care, 119
Psychiatry, depression, diagnostic criteria, 413
Psychotic illness, sensory impairment, Usher syndrome, 428
Psychotropic medication, community-based living, direct service staff, 88

Quality of life, Comprehensive Quality of Life Scale, Italian-Australian comparison, 513
proxy respondents, self-determination, self-report data, choice, empowerment, 185
Questionnaire study, sleep disturbance, behaviour disturbance, Prader-Willi syndrome, 380

Randomized controlled trial, schizophrenia, systematic review, antipsychotic medication, 94
antipsychotic agents, challenging behaviour, 360
Rapid cycling bipolar affective disorder, treatment, onset, prophylaxis, 349
Rating scales, dementia, Dementia Questionnaire for Persons with Mental Retardation, Dementia Scale for Down's Syndrome, Mini Mental State Examination, 400
Reliability, Stanford-Binet-IV, criterion-related validity, 179
Residential staff, stress, factor analytic study, intellectual disability, 268
Resource use, costs, phenylalanine-restricted diet, phenylketonuria, 30

Safety, advocacy, aggression, independence, lawsuit, mental illness, 289
Schizophrenia, systematic review, antipsychotic medication, randomized controlled trial, 94
Seizure disorders, social functioning, adaptive functioning, maladaptive behaviours, 531
Self-determination, self-report data, choice, empowerment, quality of life, proxy respondents, 185
Self-esteem, social comparison, depression, 372
Self-injurious behaviour, children, early development, early intervention, 149
valproate, aggression, anticonvulsants, impulse control disorders, 105
Self-report data, choice, empowerment, quality of life, proxy respondents, self- determination, 185
Sensory impairment, Usher syndrome, psychotic illness, 428
Service development, health check, health screen, primary health, 497
Service evaluation, challenging behaviour, inpatient treatment model, 128
Service provision, supported employment, challenging behaviour, 19
Severe intellectual disability, staff training, engagement in activity, 164
Sleep disturbance, behaviour disturbance, Prader-Willi syndrome, questionnaire study, 380
Sleep, survey, challenging behaviour, 504
Social comparison, depression, self-esteem, 372
Social functioning, adaptive functioning, maladaptive behaviours, seizure disorders, 531
Special education, awareness, childhood autism, Down's syndrome, fragile-X syndrome, 314
Specialist unit, inpatient care, psychiatric, 119
Spinal canal, spinal cord compression, cervical vertebrae, Down's syndrome, 283
Spinal cord compression, cervical vertebrae, Down's syndrome, spinal canal, 283
Staff behaviour, adults, communication, 194
Staff outcomes, organizational culture, 206
Staff training, engagement in activity, severe intellectual disability, 164
Staff, stress, work satisfaction, 253
Standing broad jump, verbal behaviour regulation, Down's syndrome, 13
Stanford-Binet-IV, criterion-related validity, reliability, 179
Stress, factor analytic study, intellectual disability, residential staff, 268
work satisfaction, staff, 253
Substance misuse, alcohol problems, dual diagnosis, problem drinking, 135
Supported employment, challenging behaviour, service provision, 19
Survey, challenging behaviour, sleep, 504
Symptoms, adolescence, comorbidity, dysthymic disorder, 80
Systematic review, antipsychotic medication, randomized controlled trial, schizophrenia, 94

Theory of mind, autism, executive functions, fragile-X syndrome, 466
Treatment, onset, prophylaxis, rapid cycling bipolar affective disorder, 349
Trent Region, depression, electroconvulsive therapy, 421
Twins, visuo-spatial ability, Williams syndrome, language, 294

Usher syndrome, psychotic illness, sensory impairment, 428

Valproate, aggression, anticonvulsants, impulse control disorders, self-injurious behaviour, 105
Verbal behaviour regulation, Down's syndrome, standing broad jump, 13
Visual stimulation, cerebral visual impairment, early intervention, 1
Visuo-spatial ability, Williams syndrome, language, twins, 294
Visuospatial cognition, Williams syndrome, Japanese semantic characters, Kaufmann Assessment Batteries for Children, Kanji, 562

Williams syndrome, Japanese semantic characters, Kaufmann Assessment Batteries for Children, Kanji, visuospatial cognition, 562
language, twins, visuo-spatial ability, 294
Work satisfaction, staff, stress, 253